Velair®

Product Catalogue



Hand Dryers



Aroma Diffusers



Hair Dryers



Oxy-Gen Powered® Fragrance



Heaters

And more...

PlanetMark Certified Business

9963

Trustpilot Rated Excellent

“We have been working with Velair Group for many years, and throughout this time, Velair have proven to be a reliable and trusted supplier.

Their customer service is excellent, with a knowledgeable and responsive team, and their after-sales service and technical support are always first-class. Any queries or issues are handled quickly and professionally, giving us complete confidence in both their products and their ongoing support.

We would highly recommend Velair Group as a long-term supply partner.”

- Hygenie Washrooms



Turn visits into visibility.

We can have your logo applied to any of our products.

Information available upon request.

TECHNICAL SUPPORT

- ★ Dedicated technical team
- ★ Provides comprehensive diagnostic reports
- ★ After-sales service
- ★ Trustpilot 5★ service reviews

REAL PEOPLE, NOT ROBOTS!

You can contact one of the team on
+44 (0) 1425 616103 or **hygiene@velairgroup.com**

Photography in this catalogue is for illustrative purposes only; the product you receive may differ slightly due to continued product development.

Introduction to Velair®

Established in 2012, we design, manufacture and deliver innovative solutions for commercial environments, combining best-in-class performance with exceptional value.

Backed by robust warranties, 5-star rated support, and a relentless focus on innovation, we give our customers complete confidence from specification to installation and beyond.

Our product offering is simple, yet effective. Grouped into ‘Good, Better and Best’, we have products to suit all end-user requirements, depending on the usage, cost, energy efficiency and hygienic protocol.

Contents

2 Hand Dryers

4 Hydra
5 Vega
6 Terra 4 Docking Station
8 F4 Eco, Plug & Play®
10 Pebble Mini, Plug & Play®
12 Pebble+, Plug & Play®
14 V7 Tri-Blade
15 V7-300
16 AIRGUARD
17 Consumables & Branding

18 Aroma Diffusers

20 Serenity Aroma Diffuser
22 Serenity Lite Aroma Diffuser

24 Ventilation

26 Lyra Air
27 Corvos Air Timer
28 Helix Air
29 Mela Air Glass

30 Hair Dryers

32 Ventus®*Pro*

34 Heaters

36 NiDO Steel Standard
38 NiDO Steel WiFi
40 NiDO Ceramic WiFi
42 NiDO Glass WiFi (Project only)
43 Smart Wifi
44 Toro Towel Rail

46 Oxy-Gen Powered® Fragrance

48 Oxy-Gen Powered® Technology
50 VIVA!e and SHIELD Dispensers
51 Pro and Supreme Dispensers
52 Scentinel Dispenser
53 Fragrance Intensity Guide

54 Urinal Screens

56 V-Mat 30D
57 V-Mat BIO
58 Eco Cap

60 Point of Sale
61 Sales Agent Map
62 Our commitment to a greener future
63 Awards

www.velair.co.uk

Hand Dryers

Hydra

A compact, energy-efficient, stainless steel, high-speed hand dryer, backed by a 3-year warranty.



This robust, yet compact dryer offers high-speed hand drying, whilst it's size allows for perfect positioning in all washroom environments.

Dryer vs. paper costs

Cost of annual energy usage: £29.00 against a paper towel cost of £794.00. A saving of £765 = 96%*
Recommended usage: Low and Medium

Available finishes:

Product codes:

White: VAF9001 **Satin:** VAF9002 **Black:** VAF9003



- Compact
- Energy-Efficient Engine
- Quiet Mode
- TerraSafe
- 304 Stainless Steel
- High-Speed Drying

Watch Video

29	12	3	16
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Technical Specification	
Voltage	220/240v /50Hz
Rated Power	840w
Rated Power (Quiet Mode)	250w
Net Weight	2.08kg
D x W x H	110 x 174.5 x 256mm
Noise level (Quiet Mode)	68dB at 1m
Noise level (Standard)	77 dB at 1m
Cover Material	Stailness Steel 304

Electrical Specification	
Rated Current	3.7A
Motor Speed	30,000RPM
Sensing Distance	15-25cm
Standby Power Consumption	≤ 1w

Safety Features
Motor Protection
Thermal Element protection

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

CE RoHs IPX3

Vega

A high-speed, energy-efficient, robust, stainless steel hand dryer with a 3-year manufacturer's warranty.



This dryer has many benefits; switchable heat, quiet mode and the option of intelligent H13 media filtration, for hygienically cleaner air. All wrapped up in a quality and robust, 304 grade stainless-steel cover.

Dryer vs. paper costs

Cost of annual energy usage: £29.00 against a paper towel cost of £794.00. A saving of £765 = 96%*
Recommended usage: Low and Medium

Available finishes:

Product codes:

White: EHDV4W001 **Satin:** EHDV4S002 **Black:** EHDV4B003
H13 Media Filter Enablement Pack: EHDV4B004
H13 Media Filter Replacement Pack: EHDV4B005



- 304 Stainless Steel
- Energy-Efficient Engine
- Quiet Mode
- TerraSafe
- H13 Media iFilter (optional extra, sold seperately)
- Switchable Heat

Watch Video

29	12	3	16
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Technical Specification	
Voltage	220/240v /50Hz
Rated Power	840w
Rated Power (Quiet Mode)	550w
Net Weight	3kg
D x W x H	110 x 287 x 322mm
Noise level (Quiet Mode)	68dB at 1m
Noise level (Standard)	82.5dB at 1m
Cover material	Stainless Steel 304

Electrical Specification	
Rated Current	3.7A
Motor Speed	30,000RPM
Sensing Distance	15-25cm
Standby Power Consumption	≤ 1w

Safety Features
Motor Protection
Thermal Element protection

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

CE RoHs IPX3

Terra 4 DOCKING STATION®

Watch Video

Plug & Play®

Our Terra 4 Docking Station® is the world's first multi-dryer Plug & Play® platform.

Once installed, the Terra 4 Docking Station® becomes the perfect fit and forget product, allowing for any of our Plug & Play® hand dryers to be easily upgraded, or replaced within seconds by anyone; no skilled labour required.

The Terra 4 Docking Station® is made from a material that gives outstanding durability, rigidity, abrasion resistance and thermal dimensional stability.


Managing your hand dryer requirements has never been so easy.



"I've been in the industry for 25 years and I'd say that the Plug & Play® dryers are probably the most innovative, practical and stylish dryers I've seen in this time."

★ Trustpilot

- Easy Fit
- Plug & Play®
- Compact
- Robust
- Multi Product Feature
- Terra 4 Docking Station®



Terra 4 DOCKING STATION®

Fits with:



Pebble Mini®
Plug & Play®



Pebble+
Plug & Play®



F4 Eco
Plug & Play®

TerraSafe

Enhanced safety protocol which creates a mechanical lock for cable entry into the hand dryer. Included within Hydra, F4 Eco, Pebble Mini & Pebble+.

F4 Eco

Plug & Play®

Watch Video

Energy-efficient, stainless steel Plug & Play® hand dryer with intelligent H13 filtration and 3-year warranty.



Terra 4 DOCKING STATION®



Terra4 Docking Station included



Sitting on our Terra4 docking station, this easy to install, maintain and replace Plug & Play® dryer has many benefits; switchable heat, quiet mode and intelligent H13 media filtration, for 99.95% hygienically cleaner air. All wrapped up in a quality and robust, 304 grade stainless-steel cover.

Dryer vs. paper costs

Cost of annual energy usage: £29.00 against a paper towel cost of £794.00. A saving of £765 = 96%*

Recommended usage: Low and Medium

Product codes:

White: VAF4PP001 **Satin:** VAF4PP002 **Black:** VAF4PP003

H13 Media Filter: VAF4005 (2Pk)

29	12	3	16
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Technical Specification	
Voltage	220/240v | 50/60Hz
Rated Power	840w
Rated Power (Quiet Mode)	550w
Net Weight	3.1kg
D x W x H	127 x 287 x 322mm
Noise level (Quiet Mode)	68dB at 1m
Noise level (Standard)	82.5dB at 1m
Cover material	Stainless Steel 304
Airflow	100 m/s
Airflow (Quiet Mode)	60 m/s

Electrical Specification	
Rated Current	3.7A
Motor Speed	30,000RPM
Sensing Distance	15-25cm
Standby Power Consumption	≤ 1w

Safety Features
Motor Protection
Thermal Element protection

Available finishes:



Turn visits into visibility
Can be branded with your logo

CE RoHs **IP23**

Key features:

- Plug & Play®
- Terra 4 Docking Station® compatible
- Stainless Steel
- Energy-Efficient
- Quiet Mode
- TerraSafe
- Robust
- H13 Media iFilter
- Switchable Heat

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

Pebble Mini®

Plug & Play®

Watch Video

Future proof design, coupled with our unique Plug & Play® technology.



Terra 4 DOCKING STATION®



Terra4 Docking Station included



This compact Plug & Play® hand dryer is compatible with our Terra4 Docking Station®, giving outstanding value at a great price. Incorporating the energy-efficient motor and an impressive IK10 impact rating, all wrapped up in a sleek and modern compact design.

Dryer vs. paper costs

Cost of annual energy usage: £27.00 against a paper towel cost of £794.00. A saving of £767 = 97%*

Recommended usage: Low and Medium

Product codes:

White: VAPMI001 **Satin:** VAPMI002 **Black:** VAPMI003

27	12	3	16
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Technical Specification	
Voltage	220/240v /50Hz
Rated Power	800w
Net Weight	1.78kg
D x W x H	134 x 230 x 264mm
Noise level	77 dB at 1m
Cover material	Fireproof 94V-0, ABS
Airflow	96 m/s

Electrical Specification	
Rated Current	3.7A
Motor Speed	30,000RPM
Sensing Distance	15-25cm
Standby Power Consumption	≤ 1w

Safety Features
Motor Protection
Thermal Element protection

Available finishes:

LOGO

Turn visits into visibility
Can be branded with your logo

CE RoHs IPX3

Key features:

- Plug & Play®
- Terra 4 Docking Station® compatible
- High Gloss UV Anti-Scratch Coating
- Energy-Efficient
- IONPURE Antimicrobial Dryer Cover
- TerraSafe
- Compact
- IK Rating: IK10
- Switchable Heat

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

Pebble+

Plug & Play®

Watch Video

The Pebble+ combines advanced filtration, air sterilisation and antimicrobial protection for a cleaner, fresher drying experience.



Terra 4 DOCKING STATION®



Terra4 Docking Station included



TUV accredited, the Pebble+ Plug & Play® incorporates advanced air treatment technology, combining intelligent H13 media filtration, UV-C light disinfection and ION particle generation. All encased within a germ and bacteria resistant antimicrobial cover, giving the user total protection and total peace of mind.

Dryer vs. paper costs

Cost of annual energy usage: £24.00 against a paper towel cost of £794.00. A saving of £770 = 97%*

Recommended usage: Medium and High

Product codes:

White: VAPPLUSW001 **Satin:** VAPPLUSS002 **Black:** VAPPLUSB003
H13 Media Filter: VAPB004 **UV-C Lamp Replacement:** VAPB005

24	12	5	14
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Technical Specification	
Voltage	220/240v /50Hz
Rated Power	720w
Rated Power (Quiet Mode)	130w
Net Weight	2.8kg
D x W x H	145 x 270 x 322mm
Noise level (Quiet Mode)	67dB at 1m
Noise level (Standard)	72dB at 1m
Cover material	Fireproof 94V-0, ABS
Airflow	96 m/s
Airflow (Quiet Mode)	65 m/s

Electrical Specification	
Rated Current	4.0A
Motor Speed	30,000RPM
Sensing Distance	10-25cm
Standby Power Consumption	≤ 0.5w

Safety Features
Motor Protection
Thermal Element protection

Available finishes:

Turn visits into visibility
Can be branded with your logo

Key features:

- Plug & Play®
- Digital Brushless Motor
- High Gloss UV Anti-Scratch Coating
- ION Generation
- Air Sterilisation
- UV Light Disinfection
- H13 Media iFilter
- Energy-Efficient
- Switchable Heat
- Terra 4 Docking Station® compatible
- IONPURE Antimicrobial Dryer Cover
- Quiet Mode

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

V7 Tri-Blade

Fast hand drying in 10 seconds.



Available finishes:

Over 10 more finishes available upon request.

Three blades of air strategically placed, with water collection as standard, as well as Microban antimicrobial technology. The V7 Tri-Blade is available in Snow White and Silver Aluminium as standard and is fully compatible with ZeroGel – a neutralising gel pack that removes bad odours and leaves a pleasant fragrance in the washroom. Microban antimicrobial protection is impregnated at the manufacturing stage to inhibit growth of bacteria, mould and mildew. Microban treated products are tested for their efficiency in accordance with internationally recognised standards.

Dryer vs. paper costs

Cost of annual energy usage: £48.00 against a paper towel cost of £794.00. A saving of £746 = 94%*

Recommended usage: Low, Medium and High

Product codes:

Snow White: VAV7T001 **Silver Aluminium:** VAV7T002 **ZeroGel:** VUKVTS005



- High-Speed Drying
- Water Collection
- Microban Antimicrobial Protection
- H12 Media Filter (Optional extra, sold separately)
- Extensive Range of Finishes

48	10	5	28
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Turn visits into visibility
Can be branded with your logo

Watch Video

Technical Specification	
Voltage	220-240
Rated Power	1760w
Net Weight	9.55kg
D x W x H	195 x 300 x 617mm
Noise level	73dB at 1m
Cover material	ABS Polymer

Electrical Specification	
Rated Current	8.0A
Motor Speed	30,000 RPM
Sensing Distance	N/A hands in
Standby Power Consumption	1w

Safety Features
Motor Protection

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

V7-300

Optimum water collection and comfortable hand drying.



Available finishes:

Over 10 more finishes available upon request.

300 jets of air strategically placed to remove the water from both sides of your hands without the need for continuous hand movement. The V7-300 gives the user a comfortable hand drying experience whilst the 300 jets 'massage' the hands dry. Water collection as standard as well as Microban antimicrobial protection, impregnated at the manufacturing stage, which inhibits the growth of bacteria, mould and mildew. The V7-300 is also fully compatible with ZeroGel; a neutralising gel pack which eliminates bad odours.

Dryer vs. paper costs

Cost of annual energy usage: £58.00 against a paper towel cost of £794.00. A saving of £736 = 93%*

Recommended usage: Low, Medium and High

Product codes:

Snow White: VAV73001 **Silver Aluminium:** VAV73002 **ZeroGel:** VUKVTS005



- Patented Multi-Jet Drying System
- Water Collection
- Microban Antimicrobial Protection
- H12 Media Filter (Optional extra, sold separately)
- Extensive Range of Finishes

58	12	5	33
Run cost (£) (per annum)*	**Drying time** (seconds)	**Warranty** (years)**	**Carbon emission (kg)** (per annum)***

Turn visits into visibility
Can be branded with your logo

Watch Video

Technical Specification	
Voltage	220-240
Rated Power	1760w
Net Weight	9.55kg
D x W x H	195 x 300 x 617mm
Noise level	73dB at 1m
Cover material	ABS Polymer


Electrical Specification	
Rated Current	8.0A
Motor Speed	30,000 RPM
Sensing Distance	N/A hands in
Standby Power Consumption	1w

Safety Features
Motor Protection

* Calculated using 150 dries per day for 252 days per year, with standby calculated over 365 days. Energy cost based on £0.25/kWh for active use in standard mode; paper towel cost based on 0.7p per sheet and 3 sheets per dry.
** Terms & Conditions apply.
*** Calculated using the same usage assumptions as above, at 0.144 kg CO_2e/kWh (2026 UK Government GHG Conversion Factors).

AIRGUARD

The antibacterial hand dryer backboard that protects walls and assists with reducing the spread of bacteria.



AIRGUARD's antibacterial additive prevents bacteria surviving by effectively starving them to death. Our formulation is proven to kill 99.9% of almost all species of bacteria, as well as being moisture resistant, non-staining and flame retardant, maintaining a cleaner and safer washroom environment for users. AIRGUARD is compatible with all of our hand dryers and continues to work for up to 10 years.

Product codes:

White Medium	**5 pack:**	VA-AG01
Grey Medium	**5 pack:**	VA-AG02
White Large	**5 pack:**	VA-AG01L
Grey Large	**5 pack:**	VA-AG02L

NO SCREWS PUSH FIT REQUIRED



- Antibacterial Protection
- Covers Existing Footprint
- Wall Protection
- Easy Install
- Impact Resistance


Technical Specification	
AIRGUARD Medium	
Dimensions (H x W x D)	600 x 300 x 2mm
Finishes available	White or Grey
AIRGUARD Large	
Dimensions (H x W x D)	900 x 347 x 2mm
Finishes available	White or Grey

Consumables & Branding

Media Filter Replacement

Need a media filter replacement for your dryer? No problem. Contact us and we can organise getting you a fresh one once the time comes to replace.

Product codes:
F4 Eco Replacement Filters: VAF4005 (2Pk)
Pebble+: VAPB004 (3Pk)
V7 Tri-Blade & V7-300: VUKVTS006 (2Pk)





Turn visits into visibility.

We can have your logo applied to any of our hand dryers, information available upon request.

email **hygiene@velairgroup.com** or call **+44 (0) 1425 616103**

Hand Dryer Installation Service

We offer a professional hand dryer installation service, available on request. Installations are suitable for washrooms with existing fused spurs and include the replacement of old units where required. All work is carried out by qualified engineers and scheduled with a minimum two-week lead time.

We can also arrange the compliant return and disposal of old units in line with WEEE Directive regulations.

Please contact us for further details.

Special Project Service

SPS

Our Special Project Service allows for the design and manufacture of bespoke hand dryers, tailored to suit certain specification needs.

This can include, but is not limited to, the development or redesign of a dryer, to meet certain cost, quality, functionality, branding, colour and sustainability requirements.

Aroma Diffusers

Serenity
Aroma Diffuser

Watch Video

A luxury aroma diffuser designed to elevate the atmosphere of large, high-end spaces.



Available finishes:

Engineered for expansive, high-end spaces, this large-area diffuser provides coverage up to 900 m², roughly the size of three tennis courts, fragrancing over 2,700 m³ (95,000 ft³) of air. Perfect for grand lobbies, open-plan offices, and luxury hospitality environments, it handles volumes comparable to a full office floor or large conference suite.

Controlled via an intuitive app, Serenity can be easily programmed with schedules tailored to 30, 60 or 90-day service cycles, for effortless management and consistency. Serenity transforms offices, hotel lobbies and luxury spaces into immersive sensory environments.

Our high-end fragrance oils are supplied in easy-to-install bottles, taking the hassle out of refilling while ensuring a continuous, high-quality scent experience.

Product codes:

Black: VASEREN003
Gold: VASEREN004


High-end Fragrance 1L Oils:

Tobacco Vanilla: VASEOIL001
White Tea and Thyme: VASEOIL002
Sandalwood: VASEOIL003

Hassle-free servicing and recycling

Serenity and Serenity Lite fragrance oil bottles come fully prepared for effortless replacement. Simply exchange the old bottle for a new one and return the empty containers for recycling.*

No pouring, no mess, no wasted product.



Technical Specification	
Coverage	900m2 / 2700m3 / 95000ft3
Fragrance Bottle	1000ml
D x W x H	193 x 150 x 585mm
Net Weight	3.6kg
Cover material	Glass, Stainless Steel

Electrical Specification	
Input	12V - 2A
Power	11W


Grade	Service Cycle**	Work time	Stop time
G20	30 Days	300 seconds	15 seconds
G12	60 Days	40 seconds	30 seconds
G8	90 Days	30 seconds	50 seconds

2
Warranty (years)***

Scent Marketing Mobile App

900m²
Coverage of three tennis courts

Turn visits into visibility



A scent to fill every moment
Pair with Serenity Lite to create a seamless scent experience throughout your space.

Key features:

- Simple to service
- Bluetooth Control
- Freestanding or Wall mountable
- Mist Fragrance System
- Aroma Coverage: 900m² / 2700m³ / 95000ft³
- Lockable
- Glass & Stainless Steel
- Fits with 30, 60 and 90-day service cycle
- Low Noise

*Contact our team to find out more about our Return, Recycle, Re-use incentive.
**Service cycle recommendation example is calculated based on 8 hours of daily use, 5 days per week. Figures are provided for reference only, as essential oil usage may vary depending on viscosity and operating temperature.
*** Terms & Conditions apply.

Serenity Lite

Aroma Diffuser



Available finishes:

Seamless scent experience throughout your space. Ideal for hallways, lifts, meeting rooms and transition zones.

Working in harmony with Serenity, Serenity Lite supports a considered scent marketing strategy, reinforcing brand identity and atmosphere through high-end fragrance. App-controlled scheduling allows effortless management, ensuring consistency, subtlety and impact in every zone.

Designed for smaller spaces and corridors within premium commercial environments, Serenity Lite delivers refined, consistent fragrancing where detail matters most.

Product codes:

White: VASERLI001

Black: VASERLI003

High-end Fragrance 150ml Oils:

Tobacco Vanilla: VASELOIL001

White Tea and Thyme: VASELOIL002

Sandalwood: VASELOIL003



- Simple to service
- Bluetooth Control
- Compact
- Aroma Coverage: 120m²/ 360m³ / 12713ft³
- Lockable
- Operates with D Batteries
- Turn visits into visibility
  Can be branded with your logo

Technical Specification	
Coverage	120m2 / 360m3 / 12713ft3
Fragrance Bottle	150ml
D x W x H	67 x 137.5 x 166.9mm
Net Weight	420g
Cover material	ABS Plastic

Electrical Specification	
Input	Type-C 5V 1A Max
Power	1.4W (MAX)

Grade	Service Cycle*	Work time	Stop time
G4	30 Days	15 seconds	90 seconds
G3	60 Days	10 seconds	110 seconds
G2	90 Days	5 seconds	110 seconds

2

Warranty (years)**

Scent Marketing Mobile App

Recycling Incentive

Easy Installation

*Service cycle recommendation example is calculated based on 8 hours of daily use, 5 days per week. Figures are provided for reference only, as essential oil usage may vary depending on viscosity and operating temperature.

** Terms & Conditions apply.

Scent Marketing

Mobile App

Control Diffusers Remotely

Adjust Scent Intensity & Preset Programs



Schedule & Set Timers

Zone Management & Multi-Device Access

Scent Marketing

Download on the App Store

GET IT ON Google Play

The Scent Marketing App gives you full control over your fragrance experience with the Serenity and Serenity Lite aroma diffusers. Easily adjust scent intensity, set schedules, and create the perfect ambiance for any space, all from your smartphone. Designed for both personal and professional environments, the app helps you deliver a consistent, memorable scent experience that enhances mood, brand identity and overall comfort.

We're now an Authorised Procell Seller

Need batteries? Please ask to add Procell batteries to your next order



Ventilation

Lyra Air

A robust, low profile axial fan with a 3 year manufacturers warranty.



This lightweight, ABS fan is ideal for installation in ceilings or walls and delivers maximum performance with minimum consumption.

Product codes:

Standard 100mm White: EVELA100S001
Timer 100mm White: EVELA100T001

Available finish:



- Low profile
- Robust
- Zone 3
- Standard option
- Adjustable timer option
- Kitchen
- Bathroom

F
Part F


35
Sound Level
(dB at 3m)

Made in Europe

3
Warranty
(years)

Technical Specification	
Rated Voltage	220-240V
Input Power	15 watts
Maximum Fan Speed	2500RPM
Maximum Air Flow	98 m³/h
Net Weight	0.6kg
D x W x H x Ø	95mm x 140mm x 140mm x 98mm
Minimum Sound Level	35dB at 3 meters
Compliance	Part F
Materials	ABS & Polypropylene
Motor Class	Class B
IP Rating	IPX2

Safety Features
Motor Protection
Thermal Element protection




CE IPX2

Replacement warranty. Terms & Conditions apply.
* Specification & graph shown for Timer 100mm. Further specifications available upon request.

Corvos Air Timer


In-line mixed flow fan with high performance and effortless speed control.



Its conveniently accessible motor is designed to provide effortless speed control adjustments, ensuring optimal performance and flexibility. This innovative feature allows you to make modifications as needed without disrupting or interfering with the existing duct system, saving time and minimising inconvenience during maintenance or adjustments.

Product codes:

Timer 100mm: EVECOA100T001
Timer 150mm: EVECOA150T001



- Low profile
- Adjustable timer
- 2 Speed


31
Sound Level
(dB at 3m)

Made in Europe

3
Warranty
(years)

Technical Specification	
Rated Voltage	220-240V
Input Power	25/23 watts
Maximum Fan Speed	2500/1850RPM
Maximum Air Flow	250/180 m³/h
Net Weight	1.8kg
D x W x H x Ø	371mm x 173mm x 216mm x 99mm
Minimum Sound Level	31dB at 3 meters
Materials	Polypropylene
IP Rating	IP44

Safety Features
Motor Protection
Thermal Element protection



CE IP44

Replacement warranty. Terms & Conditions apply.
* Specification & graph shown for Timer 100mm. Further specifications available upon request.

Helix Air

An energy-efficient, silent, IP45 fan with a 5 year manufacturers warranty.




Available finishes:

Any bespoke finish available upon request.

This energy-efficient axial fan runs at an extremely quiet 20dB. Its modern and low profile design allows for it to fit seamlessly into any bathroom setting, while its IP45 rating makes it suitable for installation in bathroom electrical Zones 1 and 2. Available in any bespoke finish to suit your clients' needs.

Product codes:

Standard 100mm White: EVEHA100S001 **Black:** EVEHA100S003
Timer 100mm White: EVEHA100T001 **Black:** EVEHA100T003
Humidistat & Timer 100mm White: EVEHA100TH001
Humidistat & Timer 100mm Black: EVEHA100TH003




- Low profile
- Silent
- Zone 1
- Standard option
- Adjustable timer option
- Humidistat option
- Adjustable speed (Humidistat only)

Energy-Efficient Motor | **20** Sound Level (dB at 3m) | **Made in Europe** | **5** Warranty (years)

Technical Specification	
Rated Voltage	220-240V
Input Power	8 watts
Maximum Fan Speed	2200RPM
Maximum Air Flow	110 m^3/h
Net Weight	0.65kg
D x W x H x Ø	96mm x 150mm x 150mm x 98mm
Minimum Sound Level	20dB at 3 meters
Compliance	Part F & L
Materials	ABS & Polypropylene
Motor Class	Class B
IP Rating	IP45

Safety Features
Motor Protection
Thermal Element protection



CE IP45

Replacement warranty. Terms & Conditions apply.

* Specification & graph shown for Timer 100mm. Further specifications available upon request.

Mela Air Glass

Energy-efficient silent fan wrapped up in an elegant glass design, with a best in class 7 year manufacturers warranty.




Available finishes:

Our top of the range axial fan encases an energy-efficient motor which runs at a highly efficient 8 watts and incredibly quiet 15dB. Its interchangeable glass cover, available in multiple finishes, makes it the perfect choice for any contemporary setting. Also available with digital display.

Product codes:

Timer 100mm White: EVEMAG100T001
Timer 100mm Black: EVEMAG100T003
Timer & Humidistat Display 100mm White: EVEMAG100TH001




- Silent
- Energy-Efficient Motor
- Zone 2
- Ball Bearing
- Adjustable timer
- Bathroom
- Other finishes available

Glass Cover | **15** Sound Level (dB at 3m) | **F** Part F | **L** Part L | **Made in Europe** | **7** Warranty (years)

Technical Specification	
Rated Voltage	220-240V
Input Power	8 watts
Maximum Fan Speed	2600RPM
Maximum Air Flow	115 m^3/h
Net Weight	0.95kg
D x W x H x Ø	122.5mm x 150mm x 150mm x 98mm
Minimum Sound Level	15dB at 3 meters
Compliance	Part F & L
Materials	ABS, Polypropylene & Glass
Motor Class	Class B
IP Rating	IP44

Safety Features
Motor Protection
Thermal Element protection



CE IP44

Replacement warranty. Terms & Conditions apply.

Hair Dryers

Ventus®*Pro*

Hair made happy.

Watch Video

Revolutionary hair dryer complete with magnetic docking station for a fast, efficient and frizz-free hair drying experience.



4 Heat
Modes





Featuring a high-speed brushless motor, the Ventus®Pro is designed to last longer and dry hair faster and more efficiently than traditional dryers. Equipped with negative Ion technology and intelligent heat control, the Ventus®Pro helps fight frizz whilst promoting hair health, guaranteeing salon perfect results every time.

Fed up of tangled cords or wasting precious drawer space? Say goodbye to the chaos and transform your space with our stylish and magnetic **Terra⑤ Docking Station**. Offering easy access and organisation, it also includes a magnetic styling nozzle for a flawlessly smooth and silky finish.

Product codes:

Pearlescent White: EEVPW001 **Gunmetal Grey:** EEVPS002

4 Heat Modes

2 Available Finishes

62 Sound Level (dB at 1m)

Technical Specification	
Voltage	220-240v /50Hz
Rated power	1400w
Net weight (dryer only)	480g
Gross weight	1.19kg
D x W x H	63 x 172 x 296mm
Noise level (Low speed)	59dB at 1m
Noise level (High speed)	62dB at 1m
Cover material	ABS, PC & Aluminium
Airflow	20 m/s

Electrical Specification	
Rated current	4.0A
Motor speed	110,000RPM
Cable length	1.8m

Safety Features
Motor Protection
Thermal Element protection

Available finishes:

Turn visits into visibility
Can be branded with your logo

CE RoHs

Key features:

Terra⑤ Docking Station
Simplify & declutter with our magnetic docking station. Everything you need in one place.

Digital Brushless Motor
Lasts up to 10 times longer than traditional dryers.

Negative Ion Generator
200 million friendly Ions help to reduce frizz and static to ensure smooth, shiny and healthy looking hair.

Intelligent Heat Control
Intelligent temperature monitoring protects your hair and scalp from long term damage.


Noise Reduction Technology
Experience our Noise Reduction Technology, ensuring a quieter hair drying experience.

Dual Air Intake System
Experience accelerated drying time with our powerful, high-velocity airflow.

Heaters

NiDO Steel
Standard

Sleek and modern ultra-slim steel panel heater.



Discover a new level of comfort and efficiency. Renowned for its minimalist, ultra-slim design and sophisticated features, including open window technology and smart temperature regulation, NiDO Steel is a popular choice for those seeking both style and substance..



Product codes:

Standard White:

1000W: EENiS10DT001

1500W: EENiS15DT001

2000W: EENiS20DT001

Available finish:

Remote Control

Touch Screen Feature

Warranty (years)

3

Technical Specification	
Cover material	Steel
1000W Model Specifications	
D x H x W	52 x 403 x 600mm
Net weight (product only)	3.8kg
1500W Model Specifications	
D x H x W	52 x 403 x 835mm
Net weight (product only)	5.1kg
2000W Model Specifications	
D x H x W	52 x 403 x 955mm
Net weight (product only)	5.7kg

Safety Features
Overheating Protection
Open Window Detection
Child Lock

Key features:

- Ultra-Slim
- Overheating Protection
- Child Lock
- Open Window Detection
- LOT20 Compliant


CE IP24 LOT20

Replacement warranty. Terms & Conditions apply.

NiDO Steel
WiFi

Watch Video

Ultra-slim steel panel heater equipped with advanced WiFi technology.





Not only beautiful and efficient, NiDO Steel WiFi also showcases cutting-edge smart capabilities, with direct connection to your WiFi network. The heater can be controlled remotely via TUYA or Smart Life apps and is compatible with Google or Alexa smart assistance.

Elevate your heating experience from your fingertips, anywhere, anytime.

Product codes:

WiFi White:
1000W: EENiS10WT001
1500W: EENiS15WT001
2000W: EENiS20WT001

WiFi Matte Black:
1000W: EENiS10WT003
1500W: EENiS15WT003
2000W: EENiS20WT003

Google Assistant

Alexa Assistant

Touch Screen Feature

3 **Warranty** (years)

Technical Specification	
Cover material	Steel
1000W Model Specifications	
D x H x W	52 x 403 x 600mm
Net weight (product only)	3.8kg
1500W Model Specifications	
D x H x W	52 x 403 x 835mm
Net weight (product only)	5.1kg
2000W Model Specifications	
D x H x W	52 x 403 x 955mm
Net weight (product only)	5.7kg

Safety Features
Overheating Protection
Open Window Detection
Child Lock

Available finishes:

Key features:

- Ultra-Slim
- Overheating Protection
- WiFi Capability
- Remote Control
- Open Window Detection
- Mobile App
- Child Lock
- 24 Hour Timer
- Smart Assistance
- LOT20 Compliant

CE IP24 LOT20

Replacement warranty. Terms & Conditions apply.

NiDO Ceramic WiFi

Engineered for long-term reliability with a 10-year body warranty and a 5-year electrical warranty.





Adjust your heating on the go

The NiDO Ceramic Core Electric Radiator combines advanced ceramic heating technology with intelligent smart-home control to deliver efficient, consistent, and comfortable warmth throughout. Designed with a premium aluminium body and a high-performance ceramic core, it provides exceptional heat retention and even heat distribution while helping to reduce energy consumption.

Control your heating from anywhere using the TUYA or Smart Life app, create personalised schedules, and enjoy seamless integration with Amazon Alexa and Google Assistant. With adaptive heating functions, open-window detection, precision temperature control, and advanced safety protection, the NiDO Ceramic radiator offers a smarter, more economical way of heating.

NiDO Ceramic Core Radiator is the perfect solution for modern homes, apartments, offices, and energy-conscious households seeking reliable comfort, intelligent control, and long-term performance.

Product codes:
500W: VANICCR5001 **1000W:** VANICCR10001 **1500W:** VANICCR15001
2000W: VANICCR20001

Google Assistant

Alexa Assistant

10 **Body Warranty** (years)

5 **Electrical Warranty** (years)

Technical Specification	
Cover material	Aluminium
Heating element	Ceramic
Manual Control	LCD Screen
Voltage	230v / 50Hz

Safety Features
Overheating Protection
Open Window Detection
Safe Touch Temperature Control
Child Lock

500W Model Specifications		1500W Model Specifications	
H x W x D	500 x 336 x 75	H x W x D	500 x 672 x 75
Panel Elements	4	Panel Elements	8
Net weight (product only)	5.4kg	Net weight (product only)	13.7kg
1000W Model Specifications		**2000W Model Specifications**	
H x W x D	500 x 504 x 75	H x W x D	500 x 844 x 75
Panel Elements	6	Panel Elements	10
Net weight (product only)	8.2kg	Net weight (product only)	16.8kg



Available finishes:

MANUFACTURER'S 10 YEAR WARRANTY

CE IP24 LOT20


Key features:

- Overheating Protection
- WiFi Capability
- Mobile App (TUYA or Smart Life)
- Child Lock
- Open Window Detection
- Smart Assistance
- Daily and Weekly Timer
- Room Temperature Control
- Safe Touch Temperature Control
- Wall-Mountable Only

Replacement warranty. Terms & Conditions apply.

NiDO Glass WiFi

High-end tempered glass panel heater equipped with the latest smart capabilities.



Featuring built-in WiFi connectivity, smart assistance compatibility, and remote control functionality, you can effortlessly manage the temperature from anywhere, anytime. The intuitive 24-hour timer and thermostat regulation ensures the space is always at the perfect temperature.

With its sleek and modern design, NiDO Glass not only enhances aesthetics but also delivers unparalleled performance.

(**Project only** - MOQs & lead times apply)

Available finishes:

Product codes:

WiFi White:	**WiFi Black:**
1000W: EENiG10WT001	**1000W:** EENiG10WT003
1500W: EENiG15WT001	**1500W:** EENiG15WT003
2000W: EENiG20WT001	**2000W:** EENiG20WT003



- 24 Hour Timer
- Touch Screen
- Remote Control
- WiFi Capability
- Mobile App

2			3
Available finishes	**Google Assistant**	**Alexa Assistant**	**Warranty** (years)

Technical Specification	
Cover material	Tempered glass
1000W Model Specifications	
D x H x W	70 x 400 x 462mm
Net weight (product only)	4.4kg
1500W Model Specifications	
D x H x W	70 x 400 x 597mm
Net weight (product only)	5.3kg
2000W Model Specifications	
D x H x W	70 x 400 x 832mm
Net weight (product only)	6.8kg

Safety Features
Overheating Protection
Open Window Detection
Child Lock

CE LOT20 **IP24**

NiDO Smart WiFi

Google Assistant **Alexa Assistant**



Adjust your heating on the go, directly from your smart phone.

NiDO Smart WiFi provides users with enhanced control, freedom, and convenience in managing their heating systems from their fingertips, from anywhere in the world.

24 Hour-Weekly Planner
Plan your weekly heating schedule with a 24 hour timer and weekly program settings.

Connected Devices
Connect multiple heaters alongside other smart devices in one app.

Mobile App
Use TUYA, or Smart Life App to adjust your heating from your fingertips.


WiFi Compatible
With direct WiFi connection, you can adjust and control your home heating from anywhere.

Temperature Control
Accurate room temperature regulation and control directly from your device.

Smart Assistance
Compatible with Google Assistant and Alexa Assistant.

Compatible with:

NiDO Steel WiFi



NiDO Ceramic WiFi



NiDO Glass WiFi



Quick & Easy:
WiFi set up instructions:

Watch Video

Replacement warranty. Terms & Conditions apply.

Toro
Towel Rail

Contemporary electric towel rail designed for efficient warmth and elegant design.





The Toro Towel Rail combines modern design with efficient, everyday comfort. Its 300W electric heating delivers gentle, consistent warmth, helping to maintain a comfortable bathroom environment all year round.

Designed for reliable daily use, Toro provides consistent heat with low running costs and straightforward electric installation, operating independently of central heating. Crafted from high-quality stainless steel with a sleek powder-coated finish, it offers long-lasting durability.

Available in white or chrome, its clean, understated design complements a wide range of interiors, making Toro a practical and stylish addition to both residential and light commercial spaces.

Product codes:
White: EETORO3001 **Chrome:** EETORO3002

13
22mm Cross Tube Design

3
Warranty (years)

Available finishes:

Key features:

- Space-Saving
- Countdown Timer
- Memory Function
- Thermostatic Control
- Premium Stainless Steel
- Slim Profile Tubes
- Energy Efficient
- Safe & Reliable Operation

Technical Specification	
Cover material	Stainless Steel (Powder Coating)
Power	300W
Input Voltage	230V/50Hz
Temperature Range	30-70°C (Change every 5°C)
Memory	with Memory Mode
Modes	Standby/Thermostatic/2h/4h/6h/8h timer
Insulation Grade	Class I
IP Rating	IPX4
D x H x W	13 x 700 x 500 mm
Tubes	13 x 22mm cross tube
Net weight (product only)	7.25kg

Safety Features
Overheating Protection

CE IPX4

Replacement warranty. Terms & Conditions apply.

oxy-gen®
POWERED

Continuous fragrance **guaranteed**

Oxy-Gen Powered® Fragrance

Effective fragrance odour control


All Oxy-Gen Powered® fragrance cartridges contain neutra-lox, our proprietary odour eliminating ingredient that is extremely effective against the smell of urine, faeces, body odour, tobacco, pet malodour, kitchen odour, mould, mildew and more.

Unlike other systems that only mask odours, Oxy-Gen Powered® cartridges eliminate odours and release fragrance effectively and continuously.

Safe and sustainable

With no added solvents, alcohols, CFCs, VOCs or propellants, our Oxy-Gen Powered® cartridges contain 100% pure fragrance oil and are a safe choice for any facility and ideal for green buildings and LEED certification requirements.





Cartridges are compliant with:

ifra THE INTERNATIONAL FRAGRANCE ASSOCIATION

CALIFORNIA AIR RESOURCES BOARD

EU

REACH COMPLIANCE

World's first Oxy-Gen Powered® technology

Oxy-Gen Powered® is the only technology that harnesses the power of pure oxygen to guarantee the delivery of fragrance into the air continuously, consistently and accurately for the entire duration of the cartridge life.

This innovative system is based on fuel cell technology that is used in the pharmaceutical industry to deliver drugs to human beings and animals.

Oxy-Gen Powered® technology is simple, reliable and cost-effective.

NASA Mission

The historic 1965 launch of Gemini V; the first spacecraft to utilise fuel cells as its:


- main source of power
- water production
- crew support

Fuel Cell Technology

From space exploration to pharmaceutical advancement, fuel cell technology powers precise drug delivery to both humans and animals, ensuring optimal efficacy and safety.

Unveiling Oxy-Gen Powered®

Our Oxy-Gen Powered® system uses the same patented fuel cell technology, redeveloped and protected, for only our air fragrance systems - guaranteeing continuous fragrance release throughout the cartridges' lifespan.



Technology at a glance

1. The oxygen generator continuously releases a precise dose of oxygen.
2. The oxygen squeezes the fragrance pouch, displacing the fragrance.
3. A continuous measured dose of fragrance is delivered onto the cellulose pad.
4. Pure fresh fragrance is released into the room.

Say goodbye to malodours and embrace a world of uninterrupted fragrance perfection.

VIVA!e and SHIELD



VIVA!e available finishes:

Consistent fragrance levels guaranteed for 60 days.

VIVA!e and SHIELD are expertly engineered to deliver consistent, continuous fragrance and odour control for the entire life of each refill. Designed to fit seamlessly into any maintenance schedule, every refill lasts 60 days with no drop-off in performance.

Powered by exclusive Oxy-Gen Powered® technology, each system releases precise doses of high-impact fragrance, without drying out or fluctuating. Easy to install and refill, the advanced ventilation design ensures maximum airflow, allowing fresh fragrance to be distributed evenly and continuously throughout the space.

Product codes:

VIVA!e:

White: ESVI02W **Chrome:** ESVI02C **Black:** ESVI02B

SHIELD:

Anti-vandal & fire retardant steel: ESVI02SHFR

Continuous fragrance **guaranteed** for 60 days

Pro and Supreme



Supreme available finishes:

Continuous fragrance guaranteed for 30, 60 and 90 days.

Pro and Supreme are high-performance odour control dispensers powered by advanced Oxy-Gen Powered® technology, delivering superior coverage and flexibility. Both dispensers can be programmed to operate for 30, 60, or 90 days, allowing users to tailor fragrance delivery to their environment and maintenance schedule. With an extended coverage area of up to 64m², Pro and Supreme are ideal for high-traffic areas.

Pro and Supreme feature an accessible eco-mode button. When activated, eco-mode enables silent operation and reduces LED frequency, significantly extending battery life without compromising fragrance performance.

Product codes:

Pro:

White: ESVI02PROW

Supreme:

White: ESVI02SUPW **Black:** ESVI02SUPB

Continuous fragrance **guaranteed** for 30 days 60 days 90 days



BETTER

- Compact
- Fuel Cell Technology
- Oxy-Gen Powered®
- Coverage: 16m² (4 x 4m) or 3,000 cu. ft.
- Recyclable Cartridges
- Operates with Alkaline Batteries



BEST

- Compact
- Fuel Cell Technology
- Oxy-Gen Powered®
- Coverage: 64m² (8 x 8m) or 6,000 cu. ft.
- Recyclable Cartridges
- Operates with Alkaline Batteries

18 **Batteries last up to 18 months**

2 **2 Year Warranty on dispensers**

LOGO **Turn visits into visibility**
Can be branded with your logo

24 **Batteries last up to 24 months**

2 **2 Year Warranty on dispensers**

LOGO **Turn visits into visibility**
Can be branded with your logo



SHIELD Vandal & tamper proof

Made of robust stainless steel with an anti-vandal locking device, SHIELD looks stylish in every setting without compromising security and effectiveness. The dispenser's smooth contours mean that potential vandals are unable to grip and tamper with the system.

Railway Group Standard Approved

SHIELD fragrance system meets the requirements of Railway Group Standard GM/RT2130 Issue 4, EN 45545-2:2013 and BS 6853:1999.



Watch Video

Supreme Secure and easy to maintain

The Supreme dispenser features user friendly, but secure key access for servicing. LED light indicators provide cartridge and battery replacement reminders.

Supreme's stylish design is perfect for every facility and will elevate the image of your washrooms, offices, reception areas, conference rooms and more.

Browse our wide range of fragrances: **see page 53.**

Scentinel

Anti-vandal design engineered for style and protection



Equipped with a secure anti-vandal locking system, the Scentinel prioritises both style and security, making it a reliable, long-lasting and elegant solution for fragrance dispersion in any environment.


The Scentinel Dispenser combines durability and elegance, delivering continuous, precise and consistent fragrance doses. Its sleek stainless steel finish enhances any setting with a touch of modern sophistication, effortlessly merging robustness with contemporary aesthetics.

Product code:

Steel: ESVI02SCENT

Available finish:

Continuous fragrance **guaranteed** for 30 days 60 days 90 days




- Stainless Steel
- Fuel Cell Technology
- Oxy-Gen Powered®
- Robust
- Secure
- Coverage: 64m² (8 x 8m) or 6,000 cu. ft.

24 **Batteries last up to 24 months**

2 **2 Year Warranty on dispensers**

LOGO **Turn visits into visibility**
Can be branded with your logo

Scentinel Dispenser



The Scentinel is simple to install, refill and can be programmed to work for 30, 60 or 90 days. The vented design ensures optimal fragrance dispersal without compromising style or security. LED Indicators provide cartridge and battery replacement reminders ensuring continuous levels of fragrance.

1. Normal-Eco mode switch
2. Refill eject button is designed to be visible right in the front, intuitive, easy to locate and push.
3. Front access 30-60-90 day selector switch

Browse our wide range of fragrances: **see page 53.**

Fragrance Intensity Guide

Low — High

Wide range of fragrances across floral, citrus, fruity & oriental scents.

Adore

A sophisticated fragrance that combines fresh apple notes with amber and spices.

Charm

A fantasy melon fragrance modified with cool green notes, a hint of citrus and slightly floral background.

Spring

Intense floral notes of ylang, lavender and geranium with hints of fresh cologne and lemon.

Zing

A freshly sliced, mouthwatering mandarin fragrance sweetened by lush, juicy orange.

Crush

An exotic mix of pineapple, tropical fruits and coconut.

Elate

Seamlessly weaves together the luscious sweetness of ripe fruits and the delicate beauty of blooming florals.


Glow

Juicy black cherries, with a hint of almond, plum, vanilla and cinnamon spice.

Spa

A fresh, invigorating scent with fragrant lavender and spicy herbs.

100% RECYCLABLE CARTRIDGES



VIVA!e and SHIELD

Product codes:

Adore:	ESVI01AD	**Glow:**	ESVI01GLO
Charm:	ESVI01CH	**Spa:**	ESVI01SP
Crush:	ESVI01CR	**Spring:**	ESVI01SPR
Elate:	ESVI01EL	**Zing:**	ESVI01ZI



Pro, Supreme and Scentinel

Product codes:

Adore:	ESVI01ADPROG	**Glow:**	ESVI01GLOPROG
Charm:	ESVI01CHPROG	**Spa:**	ESVI01SPAPROG
Crush:	ESVI01CRPROG	**Spring:**	ESVI01SPRPROG
Elate:	ESVI01ELAPROG	**Zing:**	ESVI01ZIPROG

All cartridges contain neutra-lox malodour eliminator

We're now an Authorised Procell Seller

Need batteries? Please ask to add Procell batteries to your next order



Urinal Screens

Reliable odour control for cleaner urinals




V-Mat 30D urinal screen mats deliver highly effective odour control, releasing a long-lasting fragrance for up to 30 days to keep washrooms consistently fresh. Their unique anti-splash, anti-clog design acts as a protective net, capturing debris, reducing blockages and keeping drains clean. Soft, flexible and easy to fit, V-Mat 30D screens help cut cleaning time and reduce maintenance costs while maintaining a fresher, more hygienic washroom. Designed with recyclable EVA for a cleaner washroom and a greener future.

Product codes:
Ocean: ESVIVWA30OC
Apple: ESVIVWA30GA
Orange: ESVIVWA30OR
Lemon: ESVIVWA30LE

up to 30 days

Next-generation urinal screen with built-in enzyme block



V-Mat BIO is a next-generation urinal screen mat, delivering up to 60 days of active odour control and designed with recyclable EVA for a cleaner washroom and a greener future. Its built-in enzyme block targets odour at the source, breaking down bacteria rather than simply masking smells, for a consistently fresher, more hygienic washroom experience. Designed to reduce splash and capture debris, it helps protect drains and minimise maintenance, while its soft, flexible construction makes fitting quick and effortless.

Product codes:
White Musk: ESVIBIO60W
Citrus Spa: ESVIBIO60C
Linen: ESVIBIO60L

up to 60 days



- 30 day fragrance
- Anti-splash and anti-clog design
- Soft, flexible design
- Recyclable EVA*
- Turn visits into visibility
  Can be branded with your logo



- Enzyme odour control technology
- 60 day fragrance
- Anti-splash and anti-clog design
- Soft, flexible design
- Recyclable EVA*
- Turn visits into visibility
  Can be branded with your logo

V-Mat 30D fragrance guide



Ocean

A fresh, cool burst of sea breeze that keeps washrooms smelling clean and crisp.



Apple

Crisp, sweet apple aroma that adds a naturally fresh touch.



Orange


Vibrant, zesty citrus fragrance that brings energy and freshness to any space.



Lemon

Invigorating lemon aroma that radiates freshness.

V-Mat BIO fragrance guide



Citrus Spa

Bright, uplifting citrus with a refreshing spa-like feel.



White Musk

Smooth and luxurious with a clean, refined scent.



Linen

Crisp and airy like freshly washed sheets.

* Recycling is dependent on suitable cleaning and local authority recycling capabilities.

Eco Cap

Water-saving urinal insert designed to maintain hygiene and lower water usage, costs and environmental impact.

BEST



Most urinals flush automatically every 15 minutes whether they're used or not. That's up to 96 flushes per day per urinal, wasting huge amounts of water, energy and money.

The Solution

Eco Cap is a simple insert that fits into your urinal waste outlet and eliminates unnecessary flushing. The only urinal cap that fits all flushable urinals globally.

It allows your system to operate with as little as 2 flushes per day, while maintaining hygiene, freshness and performance.

Zero tools, experience or costly alterations required.

Product codes:

Eco Cap: ECO1

Before Eco Cap

- x Constant flushing (every 15 mins)
- x High water usage
- x Higher costs

After Eco Cap

- ✓ Controlled flushing (as low as 2x/day)
- ✓ Massive water savings
- ✓ Lower costs, improved hygiene



How it works

Inside every Cap, an army of friendly, naturally occurring micro-organisms are waiting to be released into your urinal. These unique bio-enzymes break down and neutralise the uric scale, limescale, fats and solids which build up in urinal waste traps and pipework.

This ensures pipework is kept clean and free flowing, drastically reducing or eliminating bad odours and costly blockages. At the same time, the Cap emits a fresh citrus fragrance while helping to reduce malodours and bacteria for up to 30 days.



All without the need for harsh, environmentally unfriendly chemicals.

Install in 2 seconds

Reduce to 2 flushes per day

100% recyclable

Key features:

- **Breaks down uric scale/solids**
- **Eliminates blockages and keeps pipework free-flowing**
- **Neutralises bad odours and emits fresh citrus fragrance**
- **Cuts number of flushes needed**
- **Fits all flushable urinals globally**
- **Made in the UK**

How much can you save?

Eco Cap: Save water, save money, save energy

Based on one 9-litre cistern, serving 2 urinals*

	No. of flushes per urinal/day	Water (L) per annum	CO2 (kg) per annum	Cost per annum
Without Eco Cap	96	315,360	204	£725.32
With Eco Cap	2	6,570	4	£15.11
SAVINGS	94	308,790	200	£710.21

Based on two 9-litre cisterns, serving 4 urinals*

	No. of flushes per urinal/day	Water (L) per annum	CO2 (kg) per annum	Cost per annum
Without Eco Cap	96	630,720	408	£1,450.65
With Eco Cap	2	13,140	8	£30.22
SAVINGS	94	617,580	400	£1,420.43

Based on four 9-litre cisterns, serving 8 urinals*

	No. of flushes per urinal/day	Water (L) per annum	CO2 (kg) per annum	Cost per annum
Without Eco Cap	96	1,261,440	816	£2,901.31
With Eco Cap	2	26,280	16	£60.44
SAVINGS	94	1,235,160	800	£2,840.87

Based on eight 9-litre cisterns, serving 16 urinals*

	No. of flushes per urinal/day	Water (L) per annum	CO2 (kg) per annum	Cost per annum
Without Eco Cap	96	2,522,880	1,632	£5,802.62
With Eco Cap	2	52,560	32	£120.88
SAVINGS	94	2,470,320	1,600	£5,681.74

For every 16 urinals that use the Eco Cap, the water saved is the equivalent of one Olympic sized swimming pool every year.**

Reduce CO2 emissions

Improve ESG scores

Save Water and Money


* Based on national average water cost of: £2.30 per m3 (combined supply and waste).

**The figures used for this illustration are based on a urinal flushing 5 litres of water every 15 mins over a 24hr period.

Point of Sale Material:



Our dedicated team of highly experienced sales agents cover the whole of the UK.



Embracing Sustainability:
Our commitment to a greener future.

We take immense pride in being Planet Mark certified, a testament to our dedication to sustainability and our commitment to protecting the environment for future generations.

As a forward-thinking organisation, we recognise the urgent need to address the challenges posed by climate change and environmental degradation. That's why we have made it our mission to integrate sustainability into every aspect of our business operations.

What do we do?

From reducing our carbon footprint to introducing planet friendly packaging, we are actively taking steps to mitigate our impact on the environment.



Velair®

Awards 2025

Hand Dryer Company of the Year

Building and Facilities News
HAND DRYER
COMPANY OF THE YEAR
Award Winner

Oxy-Gen Supreme Awarded 3rd Best Hygiene Product

Tomorrow's Cleaning
AWARDS 2025
3RD PLACE

Energy Management

theBIG Sustainability Awards
WINNER
2025

Waste Management

theBIG Sustainability Awards
FINALIST
2025

PlanetMark
Certified Business

Velair®

Velair Group Limited
Unit 20, Queensway, Hampshire, BH25 5NN, UK
+44 (0) 1425 616103
hygiene@velairgroup.com
www.velair.co.uk

PlanetMark
Certified Business